# CANADA-NEWFOUNDLAND
## WATER QUALITY MONITORING AGREEMENT

# ORGANOCHLORINATED PESTICIDES AND POLYCHLORINATED BIPHENYLS
## IN WATER OF SELECTED NEWFOUNDLAND RIVERS

Surface Water Section
Water Resources Division
Department of Environment and Lands
St. John's, Newfoundland

Water Quality Branch
Inland Waters Directorate
Environment Canada
Moncton, New Brunswick

# CANADA-NEWFOUNDLAND WATER QUALITY MONITORING AGREEMENT

# ORGANOCHLORINATED PESTICIDES AND POLYCHLORINATED BIPHENYLS IN WATER OF SELECTED NEWFOUNDLAND RIVERS

by

Sylvie Roussel[1]

Richard Arseneault[1]

Tony Blouin[2]

(1) Water Quality Branch
Environment Canada
Moncton, N. B.

(2) Water Resources Division
Newfoundland Dept. of
Environment and Lands
St. John's, Nfld.

July 1990

## TABLE OF CONTENTS

| | PAGE |
|---|---|
| ACKNOWLEDGEMENTS | ii |
| ABSTRACT | iii |
| RÉSUMÉ | iv |
| INTRODUCTION | 1 |
| METHODS | 2 |
| a) Sampling Program | 2 |
| b) Field Methodology | 2 |
| c) Laboratory Methodology | 3 |
| d) Quality Assurance/Quality Control Aspects | 3 |
| RESULTS AND DISCUSSION | 4 |
| CONCLUSION | 7 |
| RECOMMENDATIONS | 8 |
| REFERENCES | 9 |

## ACKNOWLEDGEMENTS

The authors wish to thank Gerry Collins, Leonard Vassallo and Ian MacCallum for their conscientious field assistance, and the National Water Quality Laboratory staff for their analytical support. Special gratitude is also extended to Evan Watt for his insightful review of this report. Louise Boulter typed this report.

## ABSTRACT

From 1986 to 1988, selected Canada-Newfoundland Index Stations were sampled annually to measure the levels of organochlorine pesticides and polychlorinated biphenyls (OC-PCBs) in water. The ubiquitous alpha-BHC and lindane (or gamma-BHC) were present in trace amounts at most sites. High levels of PCBs were measured in many 1987 samples, but the results for 1986 and 1988 were almost all lower than the detection limit of 9.0 ng/L. Sources of BHC isomers are linked to precipitation, while high levels of PCBs in 1987 point to a random bottle/sample contamination.

## RÉSUMÉ

De 1986 à 1988, 35 stations indicatrices du réseau Canada/Terre-Neuve de surveillance de la qualité des eaux furent choisies pour mesurer les quantités traces de pesticides organochlorés et de biphényles polychlorés dans l'eau. Les isomères du BHC omniprésents (alpha et gamma) furent détectés dans la majorité des échantillons. Des niveaux relativement élevés de biphényles polychlorés (BPC) furent mesurés dans plusieurs échantillons de 1987, tandis que ceux recueillis en 1986 et en 1988 avaient des niveaux de BPC presque toujours inférieurs à la limite de détection de 9.0 ng/L. Les isomères du BHC ont été associés à des concentrations mesurées dans la précipitation, et les hauts niveaux de BPC en 1987 semblent provenir d'une contamination par hasard de bouteilles et/ou d'échantillons.

## INTRODUCTION

The Index Station Network of the Canada-Newfoundland Water Quality Monitoring Agreement consisted originally of 49 stations distributed throughout the Province of Newfoundland. Most of these stations were sampled monthly since August 1986, except for 10, that were sampled bimonthly. The regular parameter listing consists of physical parameters, major ions, heavy metals and nutrients in water samples only. Thirty-five stations were sampled annually from 1986 to 1988 for organochlorine pesticides and polychlorinated biphenyls (OC-PCBs) in water.

Data on OC-PCBs in water have now been gathered for a period of three years. This report examines the results available. In light of these results, recommendations are made regarding this monitoring component.

## METHODS

### a) Sampling Program

Thirty-five sites of the Index Station Network were selected for the measurement of OC-PCBs in water. Table 1 presents the station listing, and a corresponding map is given in Fig. 1. These stations were sampled annually, and were thus sampled three times from the implementation of the Canada-Newfoundland Water Quality Monitoring Agreement to 1988. For the first two years, sampling took place in November, while the last samples were collected in May 1988. Thus, data were gathered from the spring and fall periods.

### b) Field Methodology

The containers used for sampling water for OC-PCBs analysis are 4L amber glass bottles with Teflon-lined caps. To prevent possible contamination of the sample, the interior of the caps were covered with aluminum foil except in 1987. In accordance to the protocol outlined in "Sampling for Water Quality" (WQB, 1983), the bottles were rinsed with tap water, chromic acid, organic-free water, washing acetone, special grade acetone, pesticide grade hexane and dried in a hot air oven at 360°C for at least one hour. In 1986, they were washed in Moncton, and the other years, they were washed in Burlington.

The sampling procedure used is described in "Sampling for Water Quality" (WQB, 1983). After collection, the samples were sent for analysis at the National Water Quality Laboratory in Burlington, Ontario.

c) Laboratory Methodology

The samples were kept at a temperature of 4°C until analysis. The procedure for the measurement of OC-PCBs involves an extraction with dichloromethane, followed by a concentration and fractionation on a silica gel column. Two fractions are collected which are then concentrated to desired volumes and injected into a capillary GC with EC detector. Verification of the positive results was done by GC-MS. The detection limit for the organochlorine pesticides is 0.4 ng/L, and for total PCBs is 9.0 ng/L. The parameter listing is shown in Table 2. Summarized descriptions of methods are given in WQB (1988).

d) Quality Assurance/Quality Control Aspects

Neither preservation blanks nor field spikes were prepared for the OC-PCBs samples, but sequential duplicate sampling was practiced at approximately 25% of the sites.

Other information on QA/QC is documented in the Canada-Newfoundland Technical Document (Technical Subcommittee, 1988).

## RESULTS AND DISCUSSION

The results of OC-PCBs measured in water at stations belonging to the Index Station Network are presented in Table 3. The results for the 19 parameters are grouped by station.

For most parameters, the levels present at the sites were lower than the analytical method's detection limit. However, alpha-BHC, gamma-BHC and total PCBs were frequently detected in the samples (Table 3).

General trends in alpha-BHC were variable, but the values were almost always higher in November 1986 than in the following years (Table 3). The maximum value recorded was 8.61 ng/L at Humber River (00NF02YL0012), but it was still lower than the guideline of 10 ng/L established for the protection of freshwater life (CCREM, 1987). Previous toxic contaminant surveys have shown alpha-BHC detections in sub-basins 02YQ, 02YS and 02ZG of Newfoundland, but none in sub-basins 02ZK and 02ZN (detection limit = 1 ng/L) (O'Neill, 1988).

Gamma-BHC (or lindane) was detected in trace amounts at some sites, but not in a consistent manner over time (Table 3). Previous studies in Newfoundland failed to detect any lindane in water (O'Neill, 1988). However, the historical detection limit for lindane was 1 ng/L, while this study provided a detection limit of 0.4 ng/L. The majority of lindane concentrations measured were between 0.4 ng/L and 1 ng/L.

When looking at the river discharge data for selected stations (Fig. 2), the levels of alpha-BHC and lindane did not necessarily fluctuate with flow. In the past, it has been observed that alpha-BHC and lindane are often measured in Atlantic Region precipitation (Brun, 1985). The use of BHCs has been banned in Canada, so atmospheric transportation is responsible for the occurrences of these compounds in Newfoundland. Lindane has been used recently in Mexico and Latin America, and is still used in the United States and Europe (Rapaport and Eisenreich, 1988).

The detection of total PCBs in water samples from the Index Station Network caused some questioning of the data. Indeed, PCBs were detected at many stations, but only in 1987 (Table 3). A maximum PCB value of 57.5 ng/L was measured at the Northeast River station (00NF02ZK0005), but the value for its duplicate sample was only 9.5 ng/L. Heterogeneity of the duplicate samples implies either a sample contamination or non-homogeneity of the aliquot analyzed. The water quality guideline established for total PCBs for the protection of freshwater aquatic life is 1 ng/L (CCREM, 1987). This data indicates that 19 of the 35 stations had levels greater than the detection limit of 9.0 ng/L in 1987. Most detected values were only slightly above the detection limit.

The fact that PCBs were detected only in 1987 and that large differences were observed between the duplicate samples suggests that the bottles (containers) may have been randomly contaminated.

This assumption is also based on historical data from 1980 to 1987 for seven Newfoundland sub-basins (02YO, 02YR, 02ZG, 02ZJ, 02ZK, 02ZL AND 02ZM), that showed no traces of PCBs (O'Neill, 1988). The method used then had a slightly lower detection limit at 5 ng/L.

In addition, the bottles used during the 1987 sampling run were washed at the NWQL in Burlington instead of at the regional laboratory in Moncton. A review of the bottle preparation procedures revealed that the NWQL did not subject the bottles to certain aspects of the preparation protocol.

## CONCLUSION

The occurrence of toxic organic contaminants in the Newfoundland rivers tested was generally rare. The only compounds frequently detected were alpha-BHC, gamma-BHC and total PCBs. The former two compounds have also been detected in Atlantic Region precipitation. Occurrences of alpha-BHC are also observed in historical surface water data in Newfoundland. Gamma-BHC, on the other hand, was not previously detected in Newfoundland surface water. However, the analytical method used at this time has a detection limit lower than that of the method used previously.

The fact that PCBs were detected in some samples collected in 1987, while no PCBs were detected in 1986 and 1988, indicates possible random bottle/sample contamination during that year. Since these results were confirmed by GC-MS, the contaminants were indeed PCBs (and not a PCB GC-ECD interference). Positive PCB results are indicative of non-compliance with the canadian guideline for the protection of freshwater aquatic life set at 1 ng/L. For this reason, it may be justifiable to go back to the sites where PCBs were detected, and conduct follow up work.

## RECOMMENDATIONS

In light of the data gathered during this study on the occurrence of OC-PCBs in Newfoundland, the following is recommended:

(1) Yearly monitoring of OC-PCBs should be discontinued for five years. After this period, surface water sampling should again be conducted to verify the evolution of OC-PCBs contaminants.

(2) The sites where PCBs were detected in 1987, even though sample/bottle contamination is suspected, should be further investigated. In these basins, it is suggested that another sample medium such as sediments or fish also be used.

(3) Resources freed up by the discontinuation of this work should be used to undertake the work in (2) and, also, to screen for other basin specific organic contaminants in water and/or other aquatic media.

## REFERENCES

Brun, G. L. 1985. Data Summary Report on Trace Organic Contaminants in Atlantic Region Precipitation During 1984. IWD-AR-WQB-84-85, Water Quality Branch, Atlantic Region.

CCREM (Canadian Council of Resource and Environment Ministers). 1987. Canadian Water Quality Guidelines. Ottawa, Ontario.

O,Neill, H. J. 1988. An Assessment of Atlantic Region Water Quality Branch Toxic Chemical Data 1980-1987. IW/L-AR-WQB-88-140, Water Quality Branch, Atlantic Regin.

Rapaport, R.A. and S.J. Eisenreich. 1988. Historical atmospheric inputs of fine molecular weight chlorinated hydrocarbons to Eastern North America. Environmental Science and Technology, 22, 931-941.

Technical Subcommittee, 1988. Technical Document. Canada-Newfoundland Water Quality Monitoring Agreement.

Water Quality Branch. 1988. NAQUADAT Dictionary of Parameter Codes. Environment Canada, Ottawa.

Water Quality Branch. 1983. Sampling for Water Quality. Environment Canada, Ottawa.

**FIGURE 1 CANADA-NEWFOUNDLAND AGREEMENT INDEX STATIONS SAMPLED FOR OC - PCB's**

FIG. 2. SUMMARY RESULTS OF DISCHARGE VALUES IN RIVERS OF NEWFOUNDLAND FOR NOVEMBER 1986 AND NOVEMBER 1987




NOTE: THE NUMBERS ABOVE THE BOXPLOTS REPRESENT THE DAILY MEAN DISCHARGE OF THE DAY THE WATER QUALITY SAMPLE WAS TAKEN

TABLE 1: List of the Canada/Newfoundland Agreement Index Stations Sampled for Organochlorines-PCB's under Different Sampling Regions (corresponding map in Fig. 1)

| Station # | | Description | Designation |
|---|---|---|---|
| a) | Western Newfoundland | | |
| 1. | 00NF02YC0002 | Torrent River at bridge, Route 430 | F-P |
| 2. | 00NF02YJ0001 | Harry's River at bridge on Harmon Highway (Route 460) | F-P |
| 3. | 00NF02YL0012 | Humber River at Humber River Bridge | F-P |
| 4. | 00NF02YE0005 | Western Brook at bridge, Route 430 | F |
| 5. | 00NF02YH0018 | Lomond River at bridge, Route 431 | F |
| 6. | 00NF02YE0004 | Portland Creek at bridge, Route 430 | P |
| 7. | 00NF02YG0001 | Main River at bridge, Route 430 | P |
| 8. | 00NF02YL0013 | Corner Brook at bridge, O'Connel Drive, Corner Brook | P |
| 9. | 00NF02ZA0006 | Grand Codroy River, 50 m below Overfall Brook | P |
| 10. | 00NF02ZA0007 | Crabbes River at railway bridge | P |
| 11. | 00NF02ZC0011 | Grandy Brook at Burgeo Road | P |
| b) | Northeastern Newfoundland | | |
| 12. | 00NF02YO0021 | Exploits River at Bishops Falls | F-P |
| 13. | 00NF02YQ0005 | Gander River, 1 km downstream of First Pond | F-P |
| 14. | 00NF02YM0003 | Indian Brook at highway bridge, Route 390 | F |
| 15. | 00NF02YS0001 | Terra Nova River, at railway bridge in Terra Nova Lake channel | F |

| Station # | | Description | Designation |
|---|---|---|---|
| b) | Northeastern Newfoundland (Cont'd) | | |
| 16. | 00NF02YS0010 | Bread Cove Brook at Trans Canada Highway | F |
| 17. | 00NF02YM0004 | Southwest Brook, Baie Verte | P |
| 18. | 00NF02YR0001 | Pound Cove Brook at Route 320 | P |
| 19. | 00NF02YS0005 | Southwest Brook at Trans Canada Highway, Terra Nova National Park | P |
| 20. | 00NF02ZJ0024 | Southern Bay River at old railway bridge | P |
| c) | Southeastern Newfoundland | | |
| 21. | 00NF02ZK0001 | Rocky River, northwest of Colinet | F-P |
| 22. | 00NF02ZK0005 | Northeast River from bridge off Highway 100 | F-P |
| 23. | 00NF02ZG0016 | Garnish River, 3 km southeast of Garnish | F |
| 24. | 00NF02ZH0010 | Pipers Hole River, 7.5 km northeast of Swift Current | F |
| 25. | 00NF02ZG0024 | Tides Brook 4.3 km southeast of Winterland | P |
| 26. | 00NF02ZG0025 | Rattle Brook, south branch | P |
| 27. | 00NF02ZL0001 | Spout Cove Brook, 3 km southwest of Kingston | P |
| 28. | 00NF02ZL0002 | Hearts Content River, 4.3 km southeast of Hearts Content | P |
| 29. | 00NF02ZM0009 | Waterford River at Kilbride | P |
| 30. | 00NF02ZM0015 | Quidi Vidi Lake outlet at St. John's from Boulevard Bridge | P |
| 31. | 00NF02ZM0017 | Raymond Brook in Goulds | P |
| 32. | 00NF02ZM0018 | Mobile River at Mobile | P |

| Station # | | Description | Designation |
|---|---|---|---|
| c) | Southeastern Newfoundland (Cont'd) | | |
| 33. | 00NF02ZM0019 | Seal Cove River, 2.5 km southwest of Cappahayden | P |
| 34. | 00NF02ZM0020 | Broad Cove Brook at St. Phillips | P |
| 35. | 00NF02ZN0004 | Salmonier River at St. Catherine's | P |

TABLE 2: Listing of the OC-PCB's measured in water samples of the Index Basin Network

| NAQUADAT | DESCRIPTION | DETECTION LIMIT |
|---|---|---|
| 17814L | Hexachloro-Benzene | 0.4 ng/L |
| 18081L | Alpha-BHC | 0.4 ng/L |
| 18083L | Gamma-BHC/Lindane | 0.4 ng/L |
| 18039L | Heptachlor | 0.4 ng/L |
| 18134L | Aldrin | 0.4 ng/L |
| 18044L | Heptachlor Epoxide | 0.4 ng/L |
| 18064L | Gamma-Chlordane | 0.4 ng/L |
| 18059L | Alpha-Chlordane | 0.4 ng/L |
| 18085L | Alpha-Endosulfan | 0.4 ng/L |
| 18029L | PP-DDE | 0.4 ng/L |
| 18154L | Head/Dieldrin | 0.4 ng/L |
| 18144L | Endrin | 0.4 ng/L |
| 18027L | OP-DDT | 0.4 ng/L |
| 18013L | PP-TDE | 0.4 ng/L |
| 18038L | PP-DDT | 0.4 ng/L |
| 18087L | Beta-Endosulfan | 0.4 ng/L |
| 18127L | Mirex | 0.4 ng/L |
| 18035L | Methoxy-Chlor | 0.4 ng/L |
| 18158L | Total PCB's | 9.0 ng/L |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | HCB | a-BHC | g-BHC LINDANE | HEPTA-CHLOR | ALDRIN | HEPTACHLOR EPOXIDE | g-CHLORDANE |
|---|---|---|---|---|---|---|---|---|---|---|
| 00NF02YC0002 | 705807 | 18-NOV-86 | 1330 | L.40 | 2.42 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YC0002 | 705808 | 18-NOV-86 | 1345 | L.40 | 3.21 | 0.51 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YC0002 | 705840 | 19-NOV-87 | 1445 | L.4 | 2.00 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YC0002 | 805123 | 18-MAY-88 | 1520 | L.4 | 1.22 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YC0002 | 805140 | 18-MAY-88 | 1525 | L.4 | 1.28 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YE0004 | 705809 | 18-NOV-86 | 1500 | L.40 | 3.99 | 0.66 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YE0004 | 705889 | 16-NOV-87 | 1550 | L.4 | 5.30 | 0.60 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YE0004 | 805125 | 19-MAY-88 | 1025 | L.4 | 3.11 | 0.44 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YE0005 | 705806 | 17-NOV-86 | 1450 | L.40 | 3.64 | 0.54 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YE0005 | 705887 | 16-NOV-87 | 1435 | L.4 | 3.70 | 0.50 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YE0005 | 705888 | 16-NOV-87 | 1440 | L.4 | 5.20 | 0.50 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YE0005 | 805127 | 19-MAY-88 | 1230 | L.4 | 3.92 | 0.40 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YG0001 | 705074 | 07-NOV-86 | 1315 | L.40 | 4.34 | 0.49 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YG0001 | 705882 | 09-NOV-87 | 1250 | L.4 | 2.80 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YG0001 | 805108 | 05-MAY-88 | 1310 | L.4 | 0.90 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YG0001 | 805109 | 05-MAY-88 | 1315 | L.4 | 0.80 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YH001B | 705810 | 19-NOV-86 | 1215 | L.40 | 2.35 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YH001B | 705885 | 16-NOV-87 | 1220 | L.4 | 4.50 | 0.40 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YH001B | 705886 | 16-NOV-87 | 1225 | L.4 | 1.00 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YH001B | 805121 | 18-MAY-88 | 1030 | L.4 | 1.25 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YJ0001 | 705075 | 10-NOV-86 | 1300 | L.40 | 2.02 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YJ0001 | 705076 | 10-NOV-86 | 1305 | L.40 | 1.83 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YJ0001 | 705878 | 04-NOV-87 | 1135 | L.4 | 0.80 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YJ0001 | 805111 | 03-MAY-88 | 1140 | L.4 | 0.90 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YJ0001 | 805112 | 03-MAY-88 | 1145 | L.4 | 1.00 | 0.50 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0012 | 705073 | 06-NOV-86 | 1115 | L.40 | 8.61 | 0.64 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YL0012 | 705883 | 09-NOV-87 | 1535 | L.4 | 5.80 | 0.50 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0012 | 705884 | 09-NOV-87 | 1540 | L.4 | 2.10 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0012 | 805110 | 05-MAY-88 | 1600 | L.4 | 0.80 | 0.40 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0013 | 705811 | 24-NOV-86 | 1320 | L.40 | 4.18 | 0.66 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YL0013 | 705812 | 24-NOV-86 | 1325 | L.40 | 3.25 | 0.50 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YL0013 | 705841 | 23-NOV-87 | 1120 | L.4 | 1.20 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0013 | 805129 | 20-MAY-88 | 1155 | L.4 | 1.01 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0013 | 805130 | 20-MAY-88 | 1200 | L.4 | 1.07 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YM0003 | 705025 | 12-NOV-86 | 1415 | L.40 | 4.81 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YM0003 | 705742 | 03-NOV-87 | 1150 | L.4 | 0.40 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YM0003 | 805100 | 02-MAY-88 | 1545 | L.4 | 0.60 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YM0003 | 805101 | 02-MAY-88 | 1550 | L.4 | 0.70 | L.4 | L.4 | L.4 | L.4 | L.4 |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | a-CHLOR-DANE | a-ENDO-SULFAN | PP-DDE | HEOD/ DIELDRIN | ENDRIN | OP-DDT | PP-TDE |
|---|---|---|---|---|---|---|---|---|---|---|
| 00NF02YC0002 | 705807 | 18-NOV-86 | 1330 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YC0002 | 705808 | 18-NOV-86 | 1345 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YC0002 | 705840 | 19-NOV-87 | 1445 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YC0002 | 805123 | 18-MAY-88 | 1520 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YC0002 | 805140 | 18-MAY-88 | 1525 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YE0004 | 705809 | 18-NOV-86 | 1500 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YE0004 | 705889 | 16-NOV-87 | 1550 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YE0004 | 805125 | 19-MAY-88 | 1025 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YE0005 | 705806 | 17-NOV-86 | 1450 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YE0005 | 705887 | 16-NOV-87 | 1435 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YE0005 | 705888 | 16-NOV-87 | 1440 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YE0005 | 805127 | 19-MAY-88 | 1230 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YG0001 | 705074 | 07-NOV-86 | 1315 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YG0001 | 705882 | 09-NOV-87 | 1250 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YG0001 | 805108 | 05-MAY-88 | 1310 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YG0001 | 805109 | 05-MAY-88 | 1315 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YH001B | 705810 | 19-NOV-86 | 1215 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YH001B | 705885 | 16-NOV-87 | 1220 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YH001B | 705886 | 16-NOV-87 | 1225 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YH001B | 805121 | 18-MAY-88 | 1030 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YJ0001 | 705075 | 10-NOV-86 | 1300 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YJ0001 | 705076 | 10-NOV-86 | 1305 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YJ0001 | 705878 | 04-NOV-87 | 1135 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YJ0001 | 805111 | 03-MAY-88 | 1140 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YJ0001 | 805112 | 03-MAY-88 | 1145 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0012 | 705073 | 06-NOV-86 | 1115 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YL0012 | 705883 | 09-NOV-87 | 1535 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0012 | 705884 | 09-NOV-87 | 1540 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0012 | 805110 | 05-MAY-88 | 1600 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0013 | 705811 | 24-NOV-86 | 1320 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YL0013 | 705812 | 24-NOV-86 | 1325 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YL0013 | 705841 | 23-NOV-87 | 1120 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0013 | 805129 | 20-MAY-88 | 1155 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YL0013 | 805130 | 20-MAY-88 | 1200 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YM0003 | 705025 | 12-NOV-86 | 1415 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YM0003 | 705742 | 03-NOV-87 | 1150 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YM0003 | 805100 | 02-MAY-88 | 1545 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YM0003 | 805101 | 02-MAY-88 | 1550 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | PP-DDT | b-ENDO SULFAN | MIREX | METHOXY CHLOR | TOTAL PCB'S |
|---|---|---|---|---|---|---|---|---|
| 00NF02YC0002 | 705807 | 18-NOV-86 | 1330 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YC0002 | 705808 | 18-NOV-86 | 1345 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YC0002 | 705840 | 19-NOV-87 | 1445 | L.4 | L.4 | L.4 | L.4 | 9.4 |
| 00NF02YC0002 | 805123 | 18-MAY-88 | 1520 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YC0002 | 805140 | 18-MAY-88 | 1525 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YE0004 | 705809 | 18-NOV-86 | 1500 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YE0004 | 705889 | 16-NOV-87 | 1550 | L.4 | L.4 | L.4 | L.4 | 12.4 |
| 00NF02YE0004 | 805125 | 19-MAY-88 | 1025 | L.4 | L.4 | L.4 | L.4 | 9.0 |
| 00NF02YE0005 | 705806 | 17-NOV-86 | 1450 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YE0005 | 705887 | 16-NOV-87 | 1435 | L.4 | L.4 | L.4 | L.4 | 11.4 |
| 00NF02YE0005 | 705888 | 16-NOV-87 | 1440 | L.4 | L.4 | L.4 | L.4 | 10.6 |
| 00NF02YE0005 | 805127 | 19-MAY-88 | 1230 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YG0001 | 705074 | 07-NOV-86 | 1315 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YG0001 | 705882 | 09-NOV-87 | 1250 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YG0001 | 805108 | 05-MAY-88 | 1310 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YG0001 | 805109 | 05-MAY-88 | 1315 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YH0018 | 705810 | 19-NOV-86 | 1215 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YH0018 | 705885 | 16-NOV-87 | 1220 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YH0018 | 705886 | 16-NOV-87 | 1225 | L.4 | L.4 | L.4 | L.4 | 9.3 |
| 00NF02YH0018 | 805121 | 18-MAY-88 | 1030 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YJ0001 | 705075 | 10-NOV-86 | 1300 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YJ0001 | 705076 | 10-NOV-86 | 1305 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YJ0001 | 705878 | 04-NOV-87 | 1135 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YJ0001 | 805111 | 03-MAY-88 | 1140 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YJ0001 | 805112 | 03-MAY-88 | 1145 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YL0012 | 705073 | 06-NOV-86 | 1115 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YL0012 | 705883 | 09-NOV-87 | 1535 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YL0012 | 705884 | 09-NOV-87 | 1540 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YL0012 | 805110 | 05-MAY-88 | 1600 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YL0013 | 705811 | 24-NOV-86 | 1320 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YL0013 | 705812 | 24-NOV-86 | 1325 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YL0013 | 705841 | 23-NOV-87 | 1120 | L.4 | L.4 | L.4 | L.4 | 9.1 |
| 00NF02YL0013 | 805129 | 20-MAY-88 | 1155 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YL0013 | 805130 | 20-MAY-88 | 1200 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YM0003 | 705025 | 12-NOV-86 | 1415 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YM0003 | 705742 | 03-NOV-87 | 1150 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YM0003 | 805100 | 02-MAY-88 | 1545 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YM0003 | 805101 | 02-MAY-88 | 1550 | L.4 | L.4 | L.4 | L.4 | L9.0 |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | HCB | a-BHC | g-BHC LINDANE | HEPTA-CHLOR | ALDRIN | HEPTACHLOR EPOXIDE | g-CHLORDANE |
|---|---|---|---|---|---|---|---|---|---|---|
| 00NF02YM0004 | 705024 | 12-NOV-86 | 1200 | L.40 | 2.80 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YM0004 | 705740 | 02-NOV-87 | 1250 | L.4 | 0.50 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YM0004 | 705741 | 02-NOV-87 | 1255 | L.4 | 1.90 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YM0004 | 805097 | 02-MAY-88 | 1235 | L.4 | 0.40 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YD0021 | 705798 | 17-NOV-86 | 1530 | L.40 | 4.07 | 0.69 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YD0021 | 705799 | 17-NOV-86 | 1535 | L.40 | 4.83 | 0.89 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YD0021 | 705744 | 04-NOV-87 | 1355 | L.4 | 2.90 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YD0021 | 805099 | 05-MAY-88 | 1355 | L.4 | 1.30 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YQ0005 | 705803 | 21-NOV-86 | 1400 | L.40 | 4.09 | 0.58 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YQ0005 | 705839 | 17-NOV-87 | 1400 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YQ0005 | 805150 | 17-MAY-88 | 1150 | L.4 | 3.24 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YQ0005 | 805151 | 17-MAY-88 | 1155 | L.4 | 3.26 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YR0001 | 705804 | 24-NOV-86 | 1340 | L.40 | 2.84 | 0.41 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YR0001 | 705805 | 24-NOV-86 | 1345 | L.40 | 3.23 | 0.46 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YR0001 | 705832 | 23-NOV-87 | 1220 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YR0001 | 805153 | 25-MAY-88 | 1220 | L.4 | 1.06 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YR0001 | 805154 | 25-MAY-88 | 1225 | L.4 | 1.25 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0005 | 705801 | 19-NOV-86 | 1430 | L.40 | 1.21 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YS0005 | 705835 | 24-NOV-87 | 1350 | L.4 | 0.90 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0005 | 705836 | 24-NOV-87 | 1355 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0005 | 805156 | 26-MAY-88 | 1450 | L.4 | 0.62 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0010 | 705800 | 19-NOV-86 | 1200 | L.40 | 4.41 | 0.72 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YS0010 | 705833 | 24-NOV-87 | 1220 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0010 | 705834 | 24-NOV-87 | 1225 | L.4 | 1.70 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0010 | 805155 | 26-MAY-88 | 1305 | L.4 | 1.79 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0011 | 705802 | 20-NOV-86 | 1230 | L.40 | 4.62 | 1.18 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YS0011 | 705830 | 19-NOV-87 | 1505 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0011 | 705831 | 19-NOV-87 | 1510 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0011 | 805152 | 19-MAY-88 | 1155 | L.4 | 2.27 | 0.45 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0006 | 705069 | 05-NOV-86 | 1340 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZA0006 | 705070 | 05-NOV-86 | 1355 | L.40 | 1.52 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZA0006 | 705881 | 04-NOV-87 | 1500 | L.4 | 0.60 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0006 | 805106 | 03-MAY-88 | 1700 | L.4 | 0.70 | 0.60 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0006 | 805107 | 03-MAY-88 | 1705 | L.4 | 0.60 | 0.50 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0003 | 705072 | 05-NOV-86 | 1620 | L.40 | 2.96 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZA0007 | 705379 | 04-NOV-87 | 1320 | L.4 | 2.10 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0007 | 705880 | 04-NOV-87 | 1325 | L.4 | 1.60 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0007 | 805113 | 03-MAY-88 | 1415 | L.4 | 0.80 | L.4 | L.4 | L.4 | L.4 | L.4 |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | a-CHLOR-DANE | a-ENDO-SULFAN | PP-DDE | HEOD/ DIELDRIN | ENDRIN | OP-DDT | PP-TDE |
|---|---|---|---|---|---|---|---|---|---|---|
| 00NF02YM0004 | 705024 | 12-NOV-86 | 1200 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YM0004 | 705740 | 02-NOV-87 | 1250 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YM0004 | 705741 | 02-NOV-87 | 1255 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YM0004 | 805097 | 02-MAY-88 | 1235 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YD0021 | 705798 | 17-NOV-86 | 1530 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YD0021 | 705799 | 17-NOV-86 | 1535 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YD0021 | 705744 | 04-NOV-87 | 1355 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YD0021 | 805099 | 05-MAY-88 | 1355 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YQ0005 | 705803 | 21-NOV-86 | 1400 | L.40 | L.40 | L.4 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YQ0005 | 705839 | 17-NOV-87 | 1400 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YQ0005 | 805150 | 17-MAY-88 | 1150 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YQ0005 | 805151 | 17-MAY-88 | 1155 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YR0001 | 705804 | 24-NOV-86 | 1340 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YR0001 | 705805 | 24-NOV-86 | 1345 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YR0001 | 705832 | 27-NOV-87 | 1220 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YR0001 | 805153 | 25-MAY-88 | 1220 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YR0001 | 805154 | 25-MAY-88 | 1225 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0005 | 705801 | 19-NOV-86 | 1430 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YS0005 | 705835 | 24-NOV-87 | 1350 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0005 | 705836 | 24-NOV-87 | 1355 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0005 | 805156 | 26-MAY-88 | 1450 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0010 | 705800 | 19-NOV-86 | 1200 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YS0010 | 705833 | 24-NOV-87 | 1220 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0010 | 705834 | 24-NOV-87 | 1225 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0010 | 805155 | 26-MAY-88 | 1305 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0011 | 705802 | 20-NOV-86 | 1230 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02YS0011 | 705830 | 19-NOV-87 | 1505 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0011 | 705831 | 19-NOV-87 | 1510 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02YS0011 | 805152 | 19-MAY-88 | 1155 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0006 | 705069 | 05-NOV-86 | 1340 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZA0006 | 705070 | 05-NOV-86 | 1355 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZA0006 | 705881 | 04-NOV-87 | 1500 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0006 | 805106 | 03-MAY-88 | 1700 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0006 | 805107 | 03-MAY-88 | 1705 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0003 | 705072 | 05-NOV-86 | 1620 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZA0007 | 705879 | 04-NOV-87 | 1320 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0007 | 705880 | 04-NOV-87 | 1325 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZA0007 | 805113 | 03-MAY-88 | 1415 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | PP-DDT | b-ENDO SULFAN | MIREX | METHOXY CHLOR | TOTAL PCB'S |
|---|---|---|---|---|---|---|---|---|
| 00NF02YM0004 | 705024 | 12-NOV-86 | 1200 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YM0004 | 705740 | 02-NOV-87 | 1250 | L.4 | L.4 | L.4 | L.4 | 11.0 |
| 00NF02YM0004 | 705741 | 02-NOV-87 | 1255 | L.4 | L.4 | L.4 | L.4 | 13.5 |
| 00NF02YM0004 | 805097 | 02-MAY-88 | 1235 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YD0021 | 705798 | 17-NOV-86 | 1530 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YD0021 | 705799 | 17-NOV-86 | 1535 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YD0021 | 705744 | 04-NOV-87 | 1355 | L.4 | L.4 | L.4 | L.4 | 14.0 |
| 00NF02YD0021 | 805099 | 05-MAY-88 | 1355 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YQ0005 | 705803 | 21-NOV-86 | 1400 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YQ0005 | 705839 | 17-NOV-87 | 1400 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YQ0005 | 805150 | 17-MAY-88 | 1150 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YQ0005 | 805151 | 17-MAY-88 | 1155 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YR0001 | 705804 | 24-NOV-86 | 1340 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YR0001 | 705805 | 24-NOV-86 | 1345 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YR0001 | 705832 | 23-NOV-87 | 1220 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YR0001 | 805153 | 25-MAY-88 | 1220 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YR0001 | 805154 | 25-MAY-88 | 1225 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YS0005 | 705801 | 19-NOV-86 | 1430 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YS0005 | 705835 | 24-NOV-87 | 1350 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YS0005 | 705836 | 24-NOV-87 | 1355 | L.4 | L.4 | L.4 | L.4 | 9.8 |
| 00NF02YS0005 | 805156 | 26-MAY-88 | 1450 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YS0010 | 705800 | 19-NOV-86 | 1200 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YS0010 | 705833 | 24-NOV-87 | 1220 | L.4 | L.4 | L.4 | L.4 | 10.9 |
| 00NF02YS0010 | 705834 | 24-NOV-87 | 1225 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YS0010 | 805155 | 26-MAY-88 | 1305 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YS0011 | 705802 | 20-NOV-86 | 1230 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02YS0011 | 705830 | 19-NOV-87 | 1505 | L.4 | L.4 | L.4 | L.4 | 14.5 |
| 00NF02YS0011 | 705831 | 19-NOV-87 | 1510 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02YS0011 | 805152 | 19-MAY-88 | 1155 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZA0006 | 705069 | 05-NOV-86 | 1340 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZA0006 | 705070 | 05-NOV-86 | 1355 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZA0006 | 705881 | 04-NOV-87 | 1500 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZA0006 | 805106 | 03-MAY-88 | 1700 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZA0006 | 805107 | 03-MAY-88 | 1705 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZA0003 | 705072 | 05-NOV-86 | 1620 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZA0007 | 705879 | 04-NOV-87 | 1320 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZA0007 | 705880 | 04-NOV-87 | 1325 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZA0007 | 805113 | 03-MAY-88 | 1415 | L.4 | L.4 | L.4 | L.4 | L9.0 |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | HCB | a-BHC | g-BHC LINDANE | HEPTA-CHLOR | ALDRIN | HEPTACHLOR EPOXIDE | g-CHLORDANE |
|---|---|---|---|---|---|---|---|---|---|---|
| 00NF02ZC0001 | 705813 | 26-NOV-86 | 1130 | L.40 | 2.50 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZC0001 | 705842 | 17-NOV-87 | 1335 | L.4 | 1.10 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZC0001 | 705843 | 17-NOV-87 | 1340 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZC0001 | 805116 | 16-MAY-88 | 1320 | L.4 | 1.15 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0016 | 705795 | 05-NOV-86 | 1335 | L.40 | 6.72 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZG0016 | 705746 | 03-NOV-87 | 1550 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0016 | 805170 | 19-MAY-88 | 1130 | L.4 | 1.02 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0024 | 705791 | 05-NOV-86 | 1205 | L.40 | 3.89 | 0.53 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZG0024 | 705747 | 03-NOV-87 | 1800 | L.4 | 2.20 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0024 | 805171 | 19-MAY-88 | 945 | L.4 | 1.37 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0025 | 705796 | 05-NOV-86 | 1600 | L.40 | 5.63 | 0.41 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZG0025 | 705748 | 04-NOV-87 | 1005 | L.4 | 2.80 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0025 | 805139 | 18-MAY-88 | 1610 | L.4 | 1.46 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZH0010 | 705797 | 10-NOV-86 | 1235 | L.40 | 4.08 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZH0010 | 705749 | 04-NOV-87 | 1215 | L.4 | 4.00 | 0.70 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZH0010 | 805138 | 18-MAY-88 | 1310 | L.4 | 1.57 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZJ0024 | 705027 | 13-NOV-86 | 1400 | L.40 | 3.03 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZJ0024 | 705028 | 13-NOV-86 | 1405 | L.40 | 2.43 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZJ0024 | 705745 | 05-NOV-87 | 1335 | L.4 | 1.60 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZJ0024 | 805098 | 04-MAY-88 | 1350 | L.4 | 0.70 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZK0001 | 705818 | 26-NOV-86 | 1510 | L.40 | 2.95 | L.40 | L.40 | 0.72 | L.40 | L.40 |
| 00NF02ZK0001 | 705837 | 24-NOV-87 | 1540 | L.4 | 0.80 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZK0001 | 805135 | 16-MAY-88 | 1400 | L.4 | 0.97 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZK0005 | 705817 | 26-NOV-86 | 1150 | L.40 | 2.62 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZK0005 | 705850 | 24-NOV-87 | 1320 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZK0005 | 705851 | 24-NOV-87 | 1330 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZK0005 | 805134 | 16-MAY-88 | 1135 | L.4 | 1.03 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZL0001 | 705792 | 04-NOV-86 | 1310 | L.40 | 3.90 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZL0001 | 705793 | 04-NOV-86 | 1315 | L.40 | 5.42 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZL0001 | 705750 | 05-NOV-87 | 1210 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZL0001 | 805102 | 03-MAY-88 | 1335 | L.4 | 0.60 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZL0002 | 705794 | 04-NOV-86 | 1415 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZL0002 | 705751 | 05-NOV-87 | 1330 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZL0002 | 705752 | 05-NOV-87 | 1335 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZL0002 | 805103 | 03-MAY-88 | 1500 | L.4 | 0.50 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0009 | 705822 | 28-NOV-86 | 1600 | L.40 | 1.09 | 0.69 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0009 | 705823 | 28-NOV-86 | 1605 | L.40 | 1.28 | 0.68 | L.40 | L.40 | L.40 | L.40 |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | a-CHLOR-DANE | a-ENDO-SULFAN | PP-DDE | HEOD/ DIELDRIN | ENDRIN | OP-DDT | PP-TDE |
|---|---|---|---|---|---|---|---|---|---|---|
| 00NF02ZC0001 | 705813 | 26-NOV-86 | 1130 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZC0001 | 705842 | 17-NOV-87 | 1335 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZC0001 | 705843 | 17-NOV-87 | 1340 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZC0001 | 805116 | 16-MAY-88 | 1320 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0016 | 705795 | 05-NOV-86 | 1335 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZG0016 | 705746 | 03-NOV-87 | 1550 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0016 | 805170 | 19-MAY-88 | 1130 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0024 | 705791 | 05-NOV-86 | 1205 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZG0024 | 705747 | 03-NOV-87 | 1800 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0024 | 805171 | 19-MAY-88 | 945 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0025 | 705796 | 05-NOV-86 | 1600 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZG0025 | 705748 | 04-NOV-87 | 1005 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZG0025 | 805139 | 18-MAY-88 | 1610 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZH0010 | 705797 | 10-NOV-86 | 1235 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZH0010 | 705749 | 04-NOV-87 | 1215 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZH0010 | 805138 | 18-MAY-88 | 1310 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZJ0024 | 705027 | 13-NOV-86 | 1400 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZJ0024 | 705028 | 13-NOV-86 | 1405 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZJ0024 | 705745 | 05-NOV-87 | 1335 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZJ0024 | 805098 | 04-MAY-88 | 1350 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZK0001 | 705818 | 26-NOV-86 | 1510 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZK0001 | 705837 | 24-NOV-87 | 1540 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZK0001 | 805135 | 16-MAY-88 | 1400 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZK0005 | 705817 | 26-NOV-86 | 1150 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZK0005 | 705850 | 24-NOV-87 | 1320 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZK0005 | 705851 | 24-NOV-87 | 1330 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZK0005 | 805134 | 16-MAY-88 | 1135 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZL0001 | 705792 | 04-NOV-86 | 1310 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZL0001 | 705793 | 04-NOV-86 | 1315 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZL0001 | 705750 | 05-NOV-87 | 1210 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZL0001 | 805102 | 03-MAY-88 | 1335 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZL0002 | 705794 | 04-NOV-86 | 1415 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZL0002 | 705751 | 05-NOV-87 | 1330 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZL0002 | 705752 | 05-NOV-87 | 1335 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZL0002 | 805103 | 03-MAY-88 | 1500 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0009 | 705822 | 28-NOV-86 | 1600 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0009 | 705823 | 28-NOV-86 | 1605 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | PP-DDT | b-ENDO SULFAN | MIREX | METHOXY CHLOR | TOTAL PCB'S |
|---|---|---|---|---|---|---|---|---|
| 00NF02ZC0001 | 705813 | 26-NOV-86 | 1130 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZC0001 | 705842 | 17-NOV-87 | 1335 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZC0001 | 705843 | 17-NOV-87 | 1340 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZC0001 | B05116 | 16-MAY-88 | 1320 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZG0016 | 705795 | 05-NOV-86 | 1335 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZG0016 | 705746 | 03-NOV-87 | 1550 | L.4 | L.4 | L.4 | L.4 | 20.6 |
| 00NF02ZG0016 | B05170 | 19-MAY-88 | 1130 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZG0024 | 705791 | 05-NOV-86 | 1205 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZG0024 | 705747 | 03-NOV-87 | 1800 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZG0024 | B05171 | 19-MAY-88 | 945 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZG0025 | 705796 | 05-NOV-86 | 1600 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZG0025 | 705748 | 04-NOV-87 | 1005 | L.4 | L.4 | L.4 | L.4 | 13.5 |
| 00NF02ZG0025 | B05139 | 18-MAY-88 | 1610 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZH0010 | 705797 | 10-NOV-86 | 1235 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZH0010 | 705749 | 04-NOV-87 | 1215 | L.4 | L.4 | L.4 | L.4 | 9.9 |
| 00NF02ZH0010 | B05138 | 18-MAY-88 | 1310 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZJ0024 | 705027 | 13-NOV-86 | 1400 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZJ0024 | 705028 | 13-NOV-86 | 1405 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZJ0024 | 705745 | 05-NOV-87 | 1335 | L.4 | L.4 | L.4 | L.4 | 9.0 |
| 00NF02ZJ0024 | B05098 | 04-MAY-88 | 1350 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZK0001 | 705818 | 26-NOV-86 | 1510 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZK0001 | 705837 | 24-NOV-87 | 1540 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZK0001 | B05135 | 16-MAY-88 | 1400 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZK0005 | 705817 | 26-NOV-86 | 1150 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZK0005 | 705850 | 24-NOV-87 | 1320 | L.4 | L.4 | L.4 | L.4 | 57.5 |
| 00NF02ZK0005 | 705851 | 24-NOV-87 | 1330 | L.4 | L.4 | L.4 | L.4 | 9.5 |
| 00NF02ZK0005 | B05134 | 16-MAY-88 | 1135 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZL0001 | 705792 | 04-NOV-86 | 1310 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZL0001 | 705793 | 04-NOV-86 | 1315 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZL0001 | 705750 | 05-NOV-87 | 1210 | L.4 | L.4 | L.4 | L.4 | 10.1 |
| 00NF02ZL0001 | B05102 | 03-MAY-88 | 1335 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZL0002 | 705794 | 04-NOV-86 | 1415 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZL0002 | 705751 | 05-NOV-87 | 1330 | L.4 | L.4 | L.4 | L.4 | 12.3 |
| 00NF02ZL0002 | 705752 | 05-NOV-87 | 1335 | L.4 | L.4 | L.4 | L.4 | 9.1 |
| 00NF02ZL0002 | B05103 | 03-MAY-88 | 1500 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0009 | 705822 | 28-NOV-86 | 1600 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZM0009 | 705823 | 28-NOV-86 | 1605 | L.40 | L.40 | L.40 | L.40 | L9.00 |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | HCB | a-BHC | g-BHC LINDANE | HEPTA-CHLOR | ALDRIN | HEPTACHLOR EPOXIDE | g-CHLORDANE |
|---|---|---|---|---|---|---|---|---|---|---|
| 00NF02ZM0009 | 705849 | 23-NOV-87 | 1415 | L.4 | 0.60 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0009 | B05133 | 05-MAY-88 | 1315 | L.4 | 0.96 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0015 | 705821 | 28-NOV-86 | 1300 | L.40 | 2.32 | 0.96 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0015 | 705848 | 23-NOV-87 | 1240 | L.4 | 1.40 | 0.50 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0015 | B05173 | 30-MAY-88 | 1210 | L.4 | 0.74 | 0.63 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0015 | B05174 | 30-MAY-88 | 1215 | L.4 | 0.97 | 1.03 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0017 | 705819 | 27-NOV-86 | 1330 | L.40 | 1.26 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0017 | 705845 | 17-NOV-87 | 1417 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0017 | B05105 | 04-MAY-88 | 1505 | L.4 | 0.50 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0018 | 705814 | 18-NOV-86 | 1130 | L.40 | 1.39 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0018 | 705815 | 18-NOV-86 | 1135 | L.40 | 1.64 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0018 | 705844 | 17-NOV-87 | 1300 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0018 | B05104 | 04-MAY-88 | 1345 | L.4 | 0.60 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0019 | 705816 | 18-NOV-86 | 1355 | L.40 | 3.06 | 0.53 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0019 | 705753 | 09-NOV-87 | 1230 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0019 | B05172 | 26-MAY-88 | 1345 | L.4 | 0.99 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0020 | 705820 | 28-NOV-86 | 1150 | L.40 | 2.00 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0020 | 705846 | 20-NOV-87 | 1150 | L.4 | 1.40 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0020 | 705847 | 20-NOV-87 | 1155 | L.4 | 1.60 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0020 | B05132 | 06-MAY-88 | 1220 | L.4 | 0.54 | 1.59 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZN0004 | 705838 | 26-NOV-87 | 1100 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZN0004 | B05136 | 16-MAY-88 | 1520 | L.4 | 1.12 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZN0004 | B05137 | 16-MAY-88 | 1525 | L.4 | 1.27 | L.4 | L.4 | L.4 | L.4 | L.4 |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | a-CHLOR-DANE | a-ENDO-SULFAN | PP-DDE | HEOD/ DIELDRIN | ENDRIN | OP-DDT | PP-TDE |
|---|---|---|---|---|---|---|---|---|---|---|
| 00NF02ZM0009 | 705849 | 23-NOV-87 | 1415 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0009 | 805133 | 05-MAY-88 | 1315 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0015 | 705821 | 28-NOV-86 | 1300 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0015 | 705848 | 23-NOV-87 | 1240 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0015 | 805173 | 30-MAY-88 | 1210 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0015 | 805174 | 30-MAY-88 | 1215 | L.4 | L.4 | L.4 | 0.43 | L.4 | L.4 | L.4 |
| 00NF02ZM0017 | 705819 | 27-NOV-86 | 1330 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0017 | 705845 | 17-NOV-87 | 1417 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0017 | 805105 | 04-MAY-88 | 1505 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0018 | 705814 | 18-NOV-86 | 1130 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0018 | 705815 | 18-NOV-86 | 1135 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0018 | 705844 | 17-NOV-87 | 1300 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0018 | 805104 | 04-MAY-88 | 1345 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0019 | 705816 | 18-NOV-86 | 1355 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0019 | 705753 | 09-NOV-87 | 1230 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0019 | 805172 | 26-MAY-88 | 1345 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0020 | 705820 | 28-NOV-86 | 1150 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 | L.40 |
| 00NF02ZM0020 | 705846 | 20-NOV-87 | 1150 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0020 | 705847 | 20-NOV-87 | 1155 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZM0020 | 805132 | 06-MAY-88 | 1220 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZN0004 | 705838 | 26-NOV-87 | 1100 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZN0004 | 805136 | 16-MAY-88 | 1520 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |
| 00NF02ZN0004 | 805137 | 16-MAY-88 | 1525 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 | L.4 |

TABLE 3: OC-PCB'S RESULTS (NG/L) OF THE WATER SAMPLES FROM THE INDEX STATION NETWORK OF THE CANADA-NEWFOUNDLAND AGREEMENT: 1986 TO 1988

| STATION # | SAMPLE # | DATE | TIME | PP-DDT | b-ENDO SULFAN | MIREX | METHOXY CHLOR | TOTAL PCB'S |
|---|---|---|---|---|---|---|---|---|
| 00NF02ZM0009 | 705849 | 23-NOV-87 | 1415 | L.4 | L.4 | L.4 | L.4 | 11.8 |
| 00NF02ZM0009 | 805133 | 05-MAY-88 | 1315 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0015 | 705821 | 28-NOV-86 | 1300 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZM0015 | 705848 | 23-NOV-87 | 1240 | L.4 | L.4 | L.4 | L.4 | 16.0 |
| 00NF02ZM0015 | 805173 | 30-MAY-88 | 1210 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0015 | 805174 | 30-MAY-88 | 1215 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0017 | 705819 | 27-NOV-86 | 1330 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZM0017 | 705845 | 17-NOV-87 | 1417 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0017 | 805105 | 04-MAY-88 | 1505 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0018 | 705814 | 18-NOV-86 | 1130 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZM0018 | 705815 | 18-NOV-86 | 1135 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZM0018 | 705844 | 17-NOV-87 | 1300 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0018 | 805104 | 04-MAY-88 | 1345 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0019 | 705816 | 18-NOV-86 | 1355 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZM0019 | 705753 | 09-NOV-87 | 1230 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0019 | 805172 | 26-MAY-88 | 1345 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0020 | 705820 | 28-NOV-86 | 1150 | L.40 | L.40 | L.40 | L.40 | L9.00 |
| 00NF02ZM0020 | 705846 | 20-NOV-87 | 1150 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0020 | 705847 | 20-NOV-87 | 1155 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZM0020 | 805132 | 06-MAY-88 | 1220 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZN0004 | 705838 | 26-NOV-87 | 1100 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZN0004 | 805136 | 16-MAY-88 | 1520 | L.4 | L.4 | L.4 | L.4 | L9.0 |
| 00NF02ZN0004 | 805137 | 16-MAY-88 | 1525 | L.4 | L.4 | L.4 | L.4 | L9.0 |